



Workrite®
FIRE SERVICE



2023
STATION WEAR



MADE FOR THIS.

Firefighters deserve a uniform that puts forward the same level of dedication as they do. At Workrite® Fire Service we deliver protection without compromise and pour every ounce of passion into advancing your safety while on the job. Our station wear garments offer an added layer of NFPA® 1975 compliant, flame-resistant (FR) protection that works with you during any part of your workday.

Workrite® Fire Service is a PPE station wear manufacturer focused solely on the fire service industry. We do everything in our power to outfit you with the best of FR station wear—while also bringing you education, innovation, training, advocacy, and design that understands your job and adapts to it, and service that is unparalleled in this industry—or any industry.

Workrite® 
FIRE SERVICE

TABLE OF CONTENTS

- 6. SHIRTS
- 14. PANTS
- 20. NON-FR 100% COTTON
- 24. STATION NO. 73
- 28. OUTERWEAR
- 32. WILDLAND-URBAN INTERFACE
- 36. WOMEN'S
- 42. HOW TO MEASURE
- 44. SIZE CHARTS
- 45. INDEX
- 46. PRODUCT COMPARISON CHARTS

THE FUTURE OF PROTECTION IS FR.



OUR WHY?


Because "what you wear under your PPE matters." Fire departments adhere to numerous standards for all of their (PPE) equipment - from their apparatus to their boots. We want to understand, why do departments stop at the inner most layer? Our research shows 75% of firefighters don't wear FR station wear and many of those look to polyester as a low-cost option.

WHY WE KNOW "IT MATTERS"

- Our standards state "It Matters" - NFPA® 1975 / NFPA® 1500
- Independent data shows "It Matters" - Project Mayday Don Abbott, 2015 - 17, ~ 4300 submissions approximately 600 of those incidents showed firefighters receiving burns under their turnout gear and surviving
- The law requires "It Matters" - OSHA GDC requires you protect employees against known hazards

SYSTEMS LEVEL APPROACH

- Protect from the inside out - station wear as PPE
- Every layer in your NFPA® 1971 compliant Structural Ensemble requires FR at every layer up to and including the facecloth, which can be against the skin, so why would fire service allow a meltable to be worn against the skin as station wear?



1975 **UL CERTIFIED TO NFPA® 1975**
Standard on Emergency Services Work Apparel
(Edition: 2019)

1977 **UL CERTIFIED TO NFPA® 1977**
Standard on Protective Clothing and Equipment
for Wildland Fire Fighting and Urban Interface
Fire Fighting (Edition: 2022)

 **WOMEN'S STYLE AVAILABLE**

HW **HOME WASH:** A laundering process normally defined as washing in a residential type top- or front-loading unit followed by tumble drying. Detergents used in this process are formulated for home use and are readily available on the consumer market. Refer to garment label for specific care instructions.

Do not use bleach, hydrogen peroxide, starch or fabric softeners on any Workrite garments. Visit Workrite.com for complete laundry instructions.

ICON GUIDE



SHIRTS

Flame-resistant station wear shirts that offer superior quality, safety, durability and performance. Unquestioned FR protection that stays as true to its color as it does to meeting your daily station wear needs. A selection of styles and fits for everyone in the firehouse.



FSC2NV

CLASSIC FIRE CHIEF SHIRT



1975 HW

FSC2 Short Sleeve**FSC0** Long Sleeve (Not Shown)

Made with durable, flame-resistant Nomex® Essential fabric and autoclaved with a PerfectPress® process to give you a professional appearance that lasts. Lined, banded collars support collar brass. Decorative epaulets. Badge tab with metal eyelets (removable upon request). Double-needle stitching reinforces front placket. Spade chest pockets with hook-and-loop pocket closures for secure storage. Pencil stall on left chest pocket. Five sewn-in military creases (two in front/three on back). False button-front with hidden snap closure for easy on/off during critical response times.

Sizes: (FSC2) Regular: 38-54, Long: 42-54**(FSC0)** Regular: 36-58, Long: 42-54

Fit Chart MFC-125

Fabric: Flame-resistant, 4.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Black (BK), Light Blue (LB), Midnight Navy (MN), Navy (NV)



FSC4MN



FSC6NV



CLASSIC FIRE CHIEF SHIRT

1975 HW

FSC6 Short Sleeve**FSC4** Long Sleeve

Functional epaulets. No badge tab.

Sizes: (FSC6) Regular: 36-58, Long: 42-54**(FSC4)** Regular: 36-58, Long: 42-54

Fit Chart MFC-107

Fabric: Flame-resistant, 4.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Midnight Navy (MN), Navy (NV)

FSE0MN



FSE2NV



CLASSIC FIRE OFFICER SHIRT

1975 HW

FSE2 Short Sleeve**FSE0** Long Sleeve

Made with durable, flame-resistant Nomex® Essential fabric and autoclaved with a PerfectPress® process to give you a professional appearance that lasts. Lined, banded collars support collar brass. Decorative epaulets. Badge tab with metal eyelets. Double-needle stitching reinforces front placket. Pleated spade pockets with scalloped flaps and hook-and-loop pocket closures for secure storage. Pencil stall on left chest pocket. Five sewn-in military creases (two in front/three on back). False button-front with hidden snap closure for easy on/off during critical response times. Badge tabs removable upon request.

Sizes: (FSE2) Regular: 38-50, Long: 42-50**(FSE0)** Regular & Long: 38-50

Fit Chart MFC-107

Fabric: Flame-resistant, 4.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Midnight Navy (MN), Navy (NV)

CLASSIC FIREFIGHTER SHIRT

1975 HW

FSF2 Short Sleeve (Not Shown)**FSF0** Long Sleeve

Made with durable, flame-resistant Nomex® Essential fabric and autoclaved with a PerfectPress® process to give you a professional appearance that lasts. Lined, banded collars support collar brass. Badge tab with metal eyelets (removable upon request). Double-needle stitching reinforces front placket. Spade pockets and flaps with hook-and-loop pocket closures for secure storage. Pencil stall on left chest pocket. Five sewn-in military creases (two in front/three on back). False button-front with hidden snap closure for easy on/off during critical response times.

Sizes: (FSF2) Regular: 36-58, Long: 42-54**(FSF0)** Regular: 36-58, Long: 42-54

Fit Chart MFC-107

Fabric: Flame-resistant, 4.5 oz.

Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Black (BK), Midnight Navy (MN), Navy (NV)

BK MN NV

FSF0NV



Pencil
Stall
↓

FSF4BK



FSF6NV



CLASSIC WESTERN FIREFIGHTER SHIRT

1975 HW

FSF6 Short Sleeve**FSF4** Long Sleeve

No epaulets. Badge tab with metal eyelets. Spade chest pockets and flaps with hook-and-loop closures for secure storage. Western-style back yoke.

Sizes: (FSF6) Regular: 36-58, Long: 42-54**(FSF4)** Regular: 36-58, Long: 42-54

Fit Chart MFC-107

Fabric: Flame-resistant, 4.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber**Colors:** Black (BK), Midnight Navy (MN), Navy (NV)

BK MN NV

CLASSIC WESTERN FIREFIGHTER SHIRT

1975 HW

FSF8 Short Sleeve

No epaulets. Badge tab with metal eyelets. Spade chest pockets with false pocket flaps. Western-style back yoke.

Sizes: Regular: 40-52, Long: 42-54

Fit Chart MFC-107

Fabric: Flame-resistant, 4.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber**Color:** Navy (NV)

NV



FSF8NV

↑
Western-Style
Back Yoke



FT10NV



FT20HG

STATION WEAR POLO SHIRT

1975 HW

FT10 Short Sleeve**FT20** Long Sleeve

Ribbed-knit collar. Hidden microphone pockets on both shoulders and pen pocket on left sleeve. Longer back hem helps stay tucked. Three button front placket with added mic loop.

Sizes: S-3XL

Fit Chart MFC-100

Fabric: Flame-resistant, 6.5 oz. Tecasafe® Plus Knit. 45% Modacrylic / 35% Lyocell / 20% Aramid

Colors: Heather Grey (HG), Navy (NV)

FT32NV



BASE LAYER T-SHIRT

HW

FT32 Long Sleeve

Slim fit. Ribbed-knit collar. Set-in sleeves. Lightweight and moisture wicking to keep you cool on the job.

Sizes: S-3XL

Fit Chart MFC-100

Fabric: Flame-resistant, 5 oz. Tech T4™. 55% Modacrylic / 30% Lyocell / 15% Nylon

Color: Navy (NV)

FT30NV



STATION WEAR T-SHIRT

1975 HW

FT30 Short Sleeve

Slim fit. Ribbed-knit collar. Set-in sleeves. Moisture wicking to keep you cool on the job.

Sizes: S-3XL

Fit Chart MFC-100

Fabric: Flame-resistant, 6.5 oz. Tecasafe® Plus Knit. 45% Modacrylic / 35% Lyocell / 20% Aramid

Color: Navy (NV)

FT34NV



BASE LAYER T-SHIRT

HW

FT34 Short Sleeve

Slim fit. Ribbed-knit collar. Set-in sleeves. Lightweight and moisture wicking to keep you cool on the job.

Sizes: S-3XL

Fit Chart MFC-100

Fabric: Flame-resistant, 5 oz. Tech T4™. 55% Modacrylic / 30% Lyocell / 15% Nylon

Color: Navy (NV)

FT40HG



STATION WEAR T-SHIRT

1975 HW

FT40 Long Sleeve

Ribbed-knit collar and cuffs. Raglan sleeves and side gusset for ease of movement. Overedge seams with coverstitch for durability. Moisture wicking to keep you cool on the job.

Sizes: S-3XL

Fit Chart MFC-100

Fabric: Flame-resistant, 6.5 oz. Tecasafe® Plus Knit. 45% Modacrylic / 35% Lyocell / 20% Aramid

Color: Heather Grey (HG)

FT36NV



BASE LAYER T-SHIRT

HW

FT36 Short Sleeve

Athletic, tapered fit. Ribbed-knit collar. Flat-lock seams for comfort. Raglan sleeves and side gusset for ease of movement. Lightweight and moisture wicking to keep you cool on the job.

Sizes: S-3XL

Fit Chart MFC-100

Fabric: Flame-resistant, 5 oz. Tech T4™. 55% Modacrylic / 30% Lyocell / 15% Nylon

Color: Navy (NV)



PANTS

Flame-resistant station wear pants that hold up to the rigors of daily wear under the toughest conditions. Designed with features like silicone-beaded creases, triple-needle felled seams and diamond crotch gussets, our pants are built for the ultimate in appearance, durability, and comfort... all while providing lasting FR protection that never relents.



CLASSIC FIREFIGHTER PANT

1975 HW

FP50 Regular Cut
FP52 Full Cut

Made with Nomex® Essential fabric and autoclaved with a proprietary PerfectPress® process to give you a professional appearance that lasts. Triple-needle felled side and seat seams offer superior durability. Legs feature silicone beading for durable creases. One piece fully finished waistband. Two slack-style front pockets. Two rear welt pockets (left pocket has button tab closure). Metal shank button closure. Diamond crotch gusset brings greater comfort and mobility. Heavy-duty brass zipper. Full cut pant features a looser fit through thighs and seat for added comfort.

Sizes: Waist 30"-50", Inseam to 37" Unfinished
No odd waist sizes after 35"
Fit Chart Men's Shorts / Pants

Fabric: Flame-resistant, 7.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Black (BK), Midnight Navy (MN), Navy (NV)

BK MN NV

FP50NV



Diamond Crotch Gusset for Enhanced Mobility



Triple-Needle Felled Seams for Increased Durability

CLASSIC RESCUE PANT

1975 HW

FP70

Double-reinforced knees. Side-elastic on waistband for added comfort. Two large pleated cargo pockets with concealed snap closures. Two rear welt pockets with hook-and-loop flap closures.

Sizes: XS-5XL
Fit Chart MFC-111

Fabric: Flame-resistant, 7.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Black (BK), Navy (NV)

BK NV

FP70NV



Reinforced Knees

Cargo Pockets

CLASSIC 12" CARGO SHORT

1975 HW

FP42

Autoclaved with a PerfectPress® process for a professional appearance. One piece fully finished waistband. Two slack-style front pockets. Two rear welt pockets with flaps and hook-and-loop closures. Two large cargo pockets with hook-and-loop flap closures. 12" Inseam.

Sizes: Waist 30"-50"
No odd waist sizes after 35"
Fit Chart Men's Shorts / Pants

Fabric: Flame-resistant, 6 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Color: Navy (NV)

NV



FP42NV

Cargo Pockets



TACTICAL RIPSTOP PANT

1975 HW

FP40

Articulated knees for ease of movement. Side-elastic on waistband for added comfort and extra-wide belt loops. Front slack-style pockets with utility notch. Two large cargo pockets with hook-and-loop flap closures. Right cargo pocket features additional storage pocket. Two rear welt pockets with hook-and-loop flap closures.

Sizes: Waist S-2XL, Inseam 30"-36",
Fit Chart MFC-111

Fabric: Flame-resistant, 6.1 oz. Glenguard®, 79% Kermel® Aramid / 20% Modacrylic / 1% Other Fiber

Color: Navy (NV)

NV



Right Cargo Pocket

Articulated Knees

Cargo Pockets



FP40NV



NON-FR 100% COTTON

Our passion to protect you is also a passion to bring options that fit your needs. Your trusted station wear brand now offers a 100% Non-FR cotton option that is breathable, comfortable, and NFPA® 1975 compliant. This offering allows for better protection that won't melt in extreme thermal conditions, keeping you safe while on the job.



FCS0NV

NON-FR CLASSIC 100% COTTON FIRE CHIEF SHIRT



1975 HW

FCS0 Long Sleeve

Lined, banded collars support collar brass. Functional epaulets. Badge tab with metal eyelets (removable upon request). Double-needle stitching reinforces front placket. Spade chest pockets with hook-and-loop pocket closures for secure storage. Pencil stall on left chest pocket. Five sewn-in military creases (two in front/three on back). False button-front with hidden snap closure for easy on/off during critical response times.

Sizes: Regular: 36-58, Long: 42-54
Fit Chart MFC-125

Fabric: 6 oz. 100% Cotton

Color: Navy (NV)

NV

FCS2NV



FCS0NV

NON-FR CLASSIC 100% COTTON FIRE CHIEF SHIRT

1975 HW

FCS2 Short Sleeve

Lined, banded collars support collar brass. Functional epaulets. Badge tab with metal eyelets (removable upon request). Double-needle stitching reinforces front placket. Spade chest pockets with hook-and-loop pocket closures for secure storage. Pencil stall on left chest pocket. Five sewn-in military creases (two in front/three on back). False button-front with hidden snap closure for easy on/off during critical response times.

Sizes: Regular: 36-58
Fit Chart MFC-125

Fabric: 6 oz. 100% Cotton

Color: Navy (NV)

NV

NON-FR CLASSIC 100% COTTON FIRE CHIEF PANT

1975 HW

FCP0

Triple-needle felled side and seat seams offer superior durability. Legs feature silicone beading for durable creases. One piece fully finished waistband. Two slack-style front pockets. Two rear welt pockets (left pocket has button tab closure). Metal shank button closure. Diamond crotch gusset brings greater comfort and mobility. Heavy-duty brass zipper.

Sizes: Waist 30"-50", Inseam to 37" Unfinished
No odd waist sizes after 35"
Fit Chart Men's Shorts / Pants

Fabric: 8.5 oz. 100% Cotton

Color: Navy (NV)

NV

All Product on Spread: Country of Origin: Imported of Fabric Made in U.S.A.



STATION NO. 73

Contemporary flame-resistant station wear built with functionality, comfort and NFPA® 1975 compliance in mind. Developed with extra features that enhance daily wear and fabric that more effectively wicks moisture from the skin to help reduce heat stress when things heat up.

FSM2NV



FP44NV

Ergonomic
Cargo
Pocket

STATION NO. 73 UNIFORM SHIRT

1975 HW

FSM2

No badge tab. No epaulets. Banded collar for professional appearance. Spade chest pockets with scalloped flaps and hook-and-loop pocket closures for secure storage. Pencil stall on left chest pocket. Five sewn-in military creases (two in front/three on back). False button-front with hidden snap closure for easy on/off.

Sizes: Regular: 40-52
Fit Chart MFC-107

Fabric: Flame-resistant, 5.8 oz. Tecasafe®, 47% Modacrylic / 37% Lyocell / 16% Aramid

Color: Navy (NV)

NV

STATION NO. 73 CARGO PANT

1975 HW

FP44

Relaxed fit with contoured waistband. Legs feature silicone beading for durable creases. Double-needle felled side and seat seams offer superior durability. Extra wide belt loop at center back. Two slack-style front pockets. Two rear welt pockets. Two ergonomic cargo pockets with hook-and-loop flap closures.

Sizes: Waist 28"-50", Inseam to 37" Unfinished
No odd waist sizes after 35"
Fit Chart Men's Shorts / Pants

Fabric: Flame-resistant, 7.0 oz. Tecasafe®, 47% Modacrylic / 37% Lyocell / 16% Aramid

Color: Navy (NV)

NV

FSU2NV



FP26NV

Scalloped
Pocket Flaps

STATION NO. 73 UNTUCKED UNIFORM SHIRT

1975 HW

FSU2

No badge tab. No epaulets. Straight bottom hem with side vents. Banded collar for professional appearance. Spade chest pockets with scalloped flaps and hook-and-loop pocket closures for secure storage. Pencil stall on left chest pocket. Five sewn-in military creases (two in front/three on back). False button-front with hidden snap closure for easy on/off.

Sizes: Regular: S-XL
Fit Chart MFC-107

Fabric: Flame-resistant, 5.8 oz. Tecasafe®, 47% Modacrylic / 37% Lyocell / 16% Aramid

Color: Navy (NV)

NV

STATION NO. 73 UNIFORM PANT

1975 HW

FP26

Relaxed fit with contoured waistband. Legs feature silicone beading for durable creases. Metal shank button closure. Double-needle felled side and seat seams offer superior durability. Extra wide belt loop at center back waistband. Two slack-style front pockets. Two rear welt pockets.

Sizes: Waist 30"-50", Inseam to 37" Unfinished
No odd waist sizes after 35"
Fit Chart Men's Shorts / Pants

Fabric: Flame-resistant, 7.0 oz. Tecasafe®, 47% Modacrylic / 37% Lyocell / 16% Aramid

Color: Navy (NV)

NV

All Product on Spread: Country of Origin: Imported of Fabric Made in U.S.A.



OUTERWEAR

Our flame-resistant outerwear is just the right combination of durable, functional and NFPA® 1975 compliant. Built with real-life insights, these garments offer all the features and benefits you need to make your job easier without compromising your comfort. And, most importantly, without compromising your safety.



FIREFIGHTER JACKET

1975 HW

FW20

Autoclaved with a PerfectPress® process for a professional appearance. Extra-wide action back for ease of movement. Heavy-duty solid brass zipper. Single welt pocket on left chest. Two hand pockets.

Sizes: Regular: S-3XL, Long: M-XL
Fit Chart Outerwear

Fabric: Flame-resistant, 7.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Black (BK), Midnight Navy (MN), Navy (NV)

BK MN NV



FW20NV

TACTICAL RIPSTOP SHIRT JACKET

1975 HW

FST2

Bi-swing back. Microphone loop on shoulder. Hidden button front placket closure. Hex chest pockets and flaps with hook-and-loop closures for secure storage. Pencil stall on both chest pockets.

Sizes: Regular: S-2XL
Fit Chart Outerwear

Fabric: Flame-resistant, 6.1 oz. Glenguard®, 79% Kermel® Aramid / 20% Modacrylic / 1% Other Fiber

Color: Navy (NV)

NV



FST2NV

OUTERWEAR



FT71NV

← Dual-Pen Pocket

1/4 ZIP JOB SHIRT

1975 HW

FT71

1/4 zip style with FR Vislon® zippers. No-roll collar. Ribbed-knit waistband and cuffs. Microphone loop on left shoulder. Two hand warmer pockets. Zippered chest pocket. Dual pen pocket on left sleeve.

Sizes: Regular: S-3XL (Custom sizes not available)
Fit Chart MFC-109

Fabric: Flame-resistant, 14.25 oz. Reliant® ITI, 55% Modacrylic / 45% Cotton

Color: Navy (NV)

NV



WILDLAND-URBAN INTERFACE

Designed for exceptional durability, functionality and on-the-job performance, our Wildland-Urban Interface specialty line includes FR shirt/jackets and pants that are UL-certified to both NFPA® 1975 and NFPA® 1977. Developed using recommendations from the Department of Homeland Security Wildland Firefighter PPE clothing system program, this line was meticulously purpose-built. Everything from fabric and fit to garment features is carefully crafted to go with you to the next level.

FR

Workrite
FIRE SERVICE

WILDLAND JACKET

1975 1977 HW

FW80

Regular fit. 3M™ Scotchlite™ Reflective Material on the sleeves. 3" stand-up collar to interface with helmet shroud. Bi-swing back for increased ease of movement. Two microphone loops on shoulders (left and right). Two bellowed radio chest pockets with hook-and-loop closures. Reinforced articulated elbows.

Sizes: Regular: S-3XL
Fit Chart Outerwear

Fabric: Flame-resistant, 7 oz. Sigma™, 51% Aramid / 32% Lyocell / 17% Polyamide

Color: Yellow (YL)

YL



FW80YL

←
Bi-Swing
Back

FP30NV

WILDLAND DUAL-COMPLIANT UNIFORM PANT

1975 1977 HW

FP30

Contoured waistband for added comfort. Metal shank button closure. Triple-needle felled side and seat seams offer superior durability. Articulated knees for ease of movement. Two slack style front pockets with utility notches. Two rear welt pockets with closures. Legs feature silicone beading for durable creases.

FP32 - Cal Fire Spec (Not shown)

Same great features of FP30 without the knee articulation and back leg seam.

Sizes: Waist 30", 44"-50", Inseam 30", 32", 34"
Waist 32"-42", Inseam 30", 32", 34", 36"
Fit Chart Men's Pants

Fabric: Flame-resistant, 7.5 oz. Nomex® Essential Twill, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Black (BK), Midnight Navy (MN), Navy (NV)

BK MN NV

WILDLAND RELAXED-FIT JACKET

1975 1977 HW

FW81 (Not shown)

Relaxed fit for comfort. 3M™ Scotchlite™ Reflective Material on the sleeves. 3" stand-up collar to interface with helmet shroud. Bi-swing back for increased ease of movement. Two microphone loops on shoulders (left and right). Left chest features ergonomic chest pocket and flap with hook-and-loop closure. Right chest features bellowed radio pocket with hook-and-loop closure. Reinforced articulated elbows.

FW82 - Cal Fire Spec

Enhanced features of FW81, including 3M™ Scotchlite™ Reflective Material on the sleeves, wider radio pocket, wider mic loops, self-storing collar, and no elbow patch.

Sizes: (FW81) Regular: S-3XL,
(FW82) Regular: S-3XL, Long: M-XL
Fit Chart Outerwear

Fabric: Flame-resistant, 7 oz. Sigma™, 51% Aramid / 32% Lyocell / 17% Polyamide

Color: Yellow (YL)

YL



FW82YL

FP62NV

←
Cargo
Pockets

Adjustable
Ankle
Straps
←

WILDLAND DUAL-COMPLIANT TACTICAL PANT

1975 1977 HW

FP62 - Cal Fire Spec

Contoured waistband for added comfort. Metal shank button closure. Triple-needle felled side and seat seams offer superior durability. Articulated knees for ease of movement. Two slack style front pockets with utility notches. Two rear welt pockets with closures. Adjustable ankle straps to secure leg bottom around work boots. Two ergonomic cargo pockets with hook-and-loop closures.

Sizes: Waist 28", Inseam 28"-34" Even.
Waist 30"-50", Inseam 28"-36" Even.
No odd waist sizes.
Fit Chart Men's Pants

Fabric: Flame-resistant, 7.5 oz. Nomex® Essential Twill, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Black (BK), Midnight Navy (MN), Navy (NV)

BK MN NV

All Product on Spread: Country of Origin: Imported of Fabric Made in U.S.A.



WOMEN'S

FR station wear that's built specifically for women. Thoughtfully placed seams and gussets contour to your shape and improve comfort and mobility. FR protection that keeps you looking your best. Now made for you.


Workrite[®]
FIRE SERVICE

FSC1NV



WOMEN'S CLASSIC FIRE CHIEF SHIRT

1975 HW

FSC3 Short Sleeve (Not Shown)
FSC1 Long Sleeve

Badge tab with metal eyelets. Decorative epaulets. Double-needle topstitching on front placket. Spade chest pockets and flaps with hook-and-loop closures for secure storage.

Sizes: S-XL
Fit Chart LFC-40

Fabric: Flame-resistant, 4.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Black (BK), Light Blue (LB), Midnight Navy (MN), Navy (NV)



FSC7NV



WOMEN'S CLASSIC FIRE CHIEF SHIRT

1975 HW

FSC7 Short Sleeve
FSC5 Long Sleeve (Not shown)

No badge tab. Functional epaulets. Double-needle topstitching on front placket. Spade chest pockets and flaps with hook-and-loop closures for secure storage.

Sizes: S-XL
Fit Chart LFC-40

Fabric: Flame-resistant, 4.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Midnight Navy (MN), Navy (NV)



FSE3NV



WOMEN'S CLASSIC FIRE OFFICER SHIRT

1975 HW

FSE3 Short Sleeve

Badge tab with metal eyelets. Decorative epaulets. Pleated spade pockets with scalloped flaps and hook-and-loop pocket closures for secure storage.

Sizes: S-XL
Fit Chart LFC-40

Fabric: Flame-resistant, 4.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Midnight Navy (MN), Navy (NV)



Spade
Chest
Pockets



FSC3NV

FSC5NV

PerfectPress®

WOMEN'S CLASSIC FIREFIGHTER SHIRT

1975 HW

FSF3 Short Sleeve

No epaulets. Spade chest pockets and flaps with hook-and-loop closures for secure storage.

Sizes: S-XL
Fit Chart LFC-40

Fabric: Flame-resistant, 4.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Midnight Navy (MN), Navy (NV)



WOMEN'S CLASSIC FIREFIGHTER PANT

1975 HW

FP51

Made with Nomex® Essential fabric and autoclaved with a PerfectPress® process to give you a professional appearance that lasts. Legs feature silicone beading for durable creases. Triple-needle felled side and seat seams offer superior durability. Diamond crotch gusset for mobility. One piece fully finished waistband. Metal shank button closure. Heavy-duty solid brass zipper. Two slack-style front pockets. Two rear welt pockets (left pocket has button tab closure).

Sizes: Waist 02-20, Inseam to 34"
Fit Chart LFC-40

Fabric: Flame-resistant, 7.5 oz. Nomex® Essential, 93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber

Colors: Black (BK), Midnight Navy (MN), Navy (NV)



FCS3NV



FCPINV

WOMEN'S NON-FR CLASIC 100% COTTON FIRE CHIEF SHIRT

1975 HW

FCS1 Short Sleeve (Not Shown)

FCS3 Long Sleeve

Badge tab with metal eyelets. Functional epaulets. Double-needle topstitching on front placket. Spade chest pockets and flaps with hook-and-loop closures for secure storage.

Sizes: S-XL

Fit Chart LFC-40

Fabric: 6 oz. 100% Cotton

Color: Navy (NV)

NV

WOMEN'S NON-FR CLASIC 100% COTTON FIRE CHIEF PANT

1975 HW

FCP1

Legs feature silicone beading for durable creases. Triple-needle felled side and seat seams offer superior durability. Diamond crotch gusset for mobility. One piece fully finished waistband. Metal shank button closure. Heavy-duty solid brass zipper. Two slack-style front pockets. Two rear welt pockets (left pocket has button tab closure).

Sizes: Waist 02-20, Inseam to 34"

Fit Chart LFC-40

Fabric: 8.5 oz. 100% Cotton

Color: Navy (NV)

NV

FSM3NV



FP45NV

WOMEN'S STATION NO. 73 UNIFORM SHIRT

1975 HW

FSM3 Short Sleeve

No badge tab. Banded collar for professional appearance. Front vertical darts and back contoured seams. Pencil stall on left chest pocket. Spade chest pockets with scalloped flaps and hook-and-loop pocket closures for secure storage. False button-front with hidden snap closure for easy on/off.

Sizes: S-XL

Fit Chart LFC-40

Fabric: Flame-resistant, 5.8 oz. Tecasafe®, 47% Modacrylic / 37% Lyocell / 16% Aramid

Color: Navy (NV)

NV

WOMEN'S STATION NO. 73 UNIFORM PANT

1975 HW

FP45

Mid-rise tailored fit. Contoured waistband with darts. Legs feature silicone beading for durable creases. Double-needle felled side and seat seams offer superior durability. Extra wide belt loop at center back waistband. Two slack-style front pockets. Two rear welt pockets.

Sizes: Waist 02-20, Inseam to 34"

Fit Chart LFC-40


Fabric: Flame-resistant, 7.0 oz. Tecasafe®, 47% Modacrylic / 37% Lyocell / 16% Aramid

Color: Navy (NV)


NV

HOW TO MEASURE

MEN'S MEASUREMENTS



WOMEN'S MEASUREMENTS



A - NECK

Measure around the base of your neck where a collared shirt would fit; or measure a collarband of a shirt that fits you well. Lay the collarband flat. Measure from the beginning of the buttonhole to the center of the button.



B - TRUNK

Measure from the base of the neck (front) down around the crotch and back up to the bottom of the collar. For coveralls only - see Diagram.

C - CHEST / BUST

Measure at the fullest part of your chest / bust. Hold the tape firmly, but not tightly. Be sure the tape is level and straight across your back. Stand naturally with your arms down by your side.

D - WAIST / MID SECTION

First, remove your belt. Then measure over shirt (not over pants) at the position you normally wear your pants. Hold the tape firmly, but not tightly. Note - For shirts and coveralls, measure the largest portion of the mid-section.

E - HIPS

Stand with your heels together. Measure around the fullest part of the hips. Hold the tape measure straight and level.

F - THIGH

Measure the circumference of the upper leg close to the crotch (approximately 1" below crotch).

G - KNEE

With the leg straight, measure the knee circumference over the knee cap and parallel to the floor.

H - CALF

Measure the circumference of the largest part of the lower leg approximately half way between the knee and ankle and parallel to the floor.

I - ANKLE

Measure the ankle circumference over the ankle bone and parallel to the floor.

J - UPPER ARM / BICEP

Measure the maximum circumference of the upper arm just below the underarm.

K - FOREARM

Measure the maximum circumference of the forearm at approximately 6" above the wrist.

L - CAP / HAT SIZE

Measure the circumference of the head at its widest diameter, approximately 1/8" above the ears.

M - SLEEVE

Bend the elbow as shown (see M). Start at the center back neck and measure across shoulder to the elbow and down to the wrist bone.

N - ACROSS SHOULDER

While standing with arms down, measure across the back from one shoulder joint to the other.

O - WRIST


Measure the wrist circumference over the wrist bone.

P - HEIGHT

Stand straight against a wall without your shoes. Make a mark level with the top of your head. Measure from this point down to the floor.

Q - INSEAM

Standing straight, measure the distance from the crotch to just below the ankle bone. Or - using similar style pants that fit you well; lay garment flat and with the front and back creases smooth. Measure the inside seam of one leg from the bottom of the hem to the crotch (see Qb).



R - OVERARM (BLAZERS)

With arms at the sides, measure around the broadest part of the shoulders and upper arms, keeping the tape level at all times. If overarm is more than 7" larger than the chest, go up one size.

S - OUTSEAM

Measure along the outside of the leg from the top of the waistband to the bottom of the hem or just below the ankle bone.

Sa - OUTSEAM ON GARMENT


On an existing garment: lay garment flat, measure along the outseam from the top of the band to the bottom hem.



T - FRONT AND BACK RISES

Front - this is the distance from the center front at the top of the waistband to the intersection of the crotch seam.

Back - this is the distance from the center back waistband to the intersection of the crotch seams.





Workrite®

FIRE SERVICE



@WorkriteFire

Kermel® is a registered trademark of Kermel Company. 3M® and Scotchlite™ are trademarks of 3M Company. Reliant™ is a registered trademark of Innovative Textiles, Inc. Nomex® is a registered trademark of DuPont used under license. Kevlar® is a registered trademark of DuPont used under license. Vislon® a registered trademark of YKK Corporation. GlenGuard® is a registered trademark of Glen Raven, Inc. TecaSafe® is a registered trademark of TenCate Protect BV. Sigma™ is a trademark of Safety Components, Inc. Tech T4™ is a trademark of TenCate Protect BV.